

Valid from: Autumn  
01.09.26 – 30.11.26


**GLASATELIER SAILLART**

Laboratory supplies with attractive prices

**New: Multi Lab® Pro IDS:**  
GxP-compliant multipara-  
meter measurement for the  
laboratory with up to 4 mea-  
surement channels (p. 2)



|        |       |                 |       |            |       |
|--------|-------|-----------------|-------|------------|-------|
| Xylem  | 01/02 | Hecht/Assistent | 05    | Julabo     | 09    |
| DWK    | 02    | Bohlender       | 06/07 | LABOR-PILZ | 10    |
| KNF    | 03    | BRAND           | 07    | isoheat    | 11    |
| KERN   | 03    | Labbox          | 08    | Memmert    | 11    |
| SCAT   | 04    | LAUDA           | 08    | IDL        | 02/12 |
| Bürkle | 05    | Isolab          | 09    |            |       |





**DWK LIFE SCIENCES**  
DURAN WHEATON KIMBLE



## More efficient laboratory processes with DURAN® YOUTILITY® bottles

|                                                                                                                   | Qty   | PU | Order No.        | Special Price/Piece |
|-------------------------------------------------------------------------------------------------------------------|-------|----|------------------|---------------------|
| DURAN® YOUTILITY® Bottle GL45, clear, with Screw cap, pouring ring, and Bottle tag, 250 ml                        | Piece | 4  | <b>218813653</b> | <b>8.10 €</b>       |
| DURAN® YOUTILITY® Bottle GL45, clear, with Screw cap, pouring ring, and Bottle tag, 500 ml                        | Piece | 4  | <b>218814452</b> | <b>10.47 €</b>      |
| DURAN® YOUTILITY® Bottle GL45, clear, with Screw cap, pouring ring, and Bottle tag, 1000 ml                       | Piece | 4  | <b>218815457</b> | <b>14.47 €</b>      |
| DURAN® YOUTILITY® Bottle GL45, amber, with Screw cap, pouring ring, and Bottle tag, 250 ml                        | Piece | 4  | <b>218863658</b> | <b>33.22 €</b>      |
| DURAN® YOUTILITY® Bottle GL45, amber, with Screw cap, pouring ring, and Bottle tag, 500 ml                        | Piece | 4  | <b>218864457</b> | <b>42.77 €</b>      |
| DURAN® YOUTILITY® Bottle GL45, amber, with Screw cap, pouring ring, and Bottle tag, 1000 ml                       | Piece | 4  | <b>218865453</b> | <b>54.51 €</b>      |
| DURAN® YOUTILITY® Membrane screw cap, GL 45, PP, Cyan, for DURAN® laboratory glass bottles ePTFE Pore size 0.2 µm | Piece | 4  | <b>291162807</b> | <b>5.91 €</b>       |
| DURAN® Autoclave Bottle with push-on caps 500 ml                                                                  | Piece | 4  | <b>219944456</b> | <b>7.45 €</b>       |
| DURAN® Autoclave Bottle with push-on caps 1000 ml                                                                 | Piece | 4  | <b>219945452</b> | <b>10.91 €</b>      |
| DURAN® Autoclave Bottle with push-on NR caps 2000 ml                                                              | Piece | 1  | <b>219946354</b> | <b>28.20 €</b>      |
| DURAN® Autoclave 45 mm Push-on NR Cap                                                                             | Piece | 4  | <b>292062906</b> | <b>3.45 €</b>       |

## NEW: MultiLab® Pro IDS – Multiparameter Measurement for the Laboratory

### Laboratory measuring device with up to 4 measuring channels

The new **MultiLab® Pro IDS** is a high-performance multiparameter meter designed for precise laboratory analysis. It enables the **simultaneous measurement** of up to four identical or different parameters, including pH, ORP, conductivity, dissolved oxygen, ISE\* and turbidity\*. Featuring a brilliant 7" touchscreen, **GxP compliance**, and **optional wireless connectivity** for IDS sensors, it is the ideal solution for modern laboratories and regulated environments.

### Highlights:

- Up to 4 galvanically isolated measurement channels
- Supports pH, ORP, conductivity, dissolved oxygen, temperature, ISE\* and turbidity\*
- Wireless-ready for IDS sensors with automatic digital sensor recognition
- GxP-compliant, LIMS-ready, and supports data export in PDF/A, JSON, and CSV formats
- Brilliant 7" touchscreen, operable with gloves and resistant to alcohol and disinfectants

### Multiparameter-Measuring device

|                                                                                                                        | Qty   | PU | Order No.     | Special Price/PU  |
|------------------------------------------------------------------------------------------------------------------------|-------|----|---------------|-------------------|
| MultiLab® Pro 20 IDS (2 galvanically isolated measurement channels)                                                    | Piece | 1  | <b>1FD760</b> | <b>2,245.46 €</b> |
| MultiLab® Pro 40 IDS (4 galvanically isolated measurement channels)                                                    | Piece | 1  | <b>1FD780</b> | <b>3,087.86 €</b> |
| MultiLab® Pro 20 IDS S2 (incl. SenTix® 980 (pH), TetraCon® 925 (conductivity))                                         | Set   | 1  | <b>1FD76C</b> | <b>2,947.46 €</b> |
| MultiLab® Pro 20 IDS WL (incl. IDS WLM-Kit (wireless modules))                                                         | Set   | 1  | <b>1FD76W</b> | <b>2,573.06 €</b> |
| MultiLab® Pro 40 IDS S4 (incl. SenTix® 980 (pH), TetraCon® 925 (conductivity), FDO® 925 (O2), SenTix® ORP-T 900 (ORP)) | Set   | 1  | <b>1FD78K</b> | <b>4,819.46 €</b> |
| MultiLab® Pro 40 IDS WL (incl. IDS WLM-Kit (wireless modules))                                                         | Set   | 1  | <b>1FD78W</b> | <b>3,368.66 €</b> |



\*=ISE and turbidity measurement available soon



Laboratory Wholesale for Europe

### Why us?

Expertise, Flexibility,  
Price & Performance

**Borostar Laboratory  
Glassware – Now Even  
More Affordable!**

Available for  
immediate delivery!  
(starting at 1.00 euro)





## Diaphragm-Vacuum pump LABOPORT® N 820 G

### Our allrounder for most vacuum applications

Our LABOPORT® diaphragm vacuum pump N 820 G guarantee maximum performance and safety in the laboratory. These pump is fully chemical-resistant, compact, and easy to use. Thanks to manual speed control, the pumping capacity can be easily adjusted to meet the specific requirements of Laboratory applications such as rotary evaporation, distillation, degassing, and many more.

The pump can be modularly expanded with various system components, including a separator, high-performance condenser, and the new remote vacuum

controller. This provides maximum flexibility in configuring the ideal vacuum system for your specific application needs.

#### Advantages:

- Flow rate 10 – 20 l/min, final vacuum: 6 mbar abs.
- Compact, Oil free and low maintenance.
- High chemical resistance, suitable to use with aggressive solvents and vapors.
- Atex compliant, internal atmosphere only.

With integrated flow control (one pump for many applications).



|                                   | Qy    | PU | Order No.     | Special Price/PU |
|-----------------------------------|-------|----|---------------|------------------|
| KNF Vacuum pump LABOPORT® N 820 G | Piece | 1  | 317121/313452 | 1,679.04 €       |

PROFESSIONAL MEASURING  
SINCE 1844

| Analytical Balance        | Weighing capacity (Max)                                                   | Readability (d) | Reproducibility | Linearity | Qy    | PU | Order No.  | Special Price/PU |
|---------------------------|---------------------------------------------------------------------------|-----------------|-----------------|-----------|-------|----|------------|------------------|
| ACJ 100-4M                | 120 g                                                                     | 0.1 mg          | 0.2 mg          | ± 0.3 mg  | Piece | 1  | ACJ 100-4M | 1,046.88 €       |
| ACJ 200-4M                | 220 g                                                                     | 0.1 mg          | 0.2 mg          | ± 0.3 mg  | Piece | 1  | ACJ 200-4M | 1,122.25 €       |
| ACJ 300-4M                | 320 g                                                                     | 0.1 mg          | 0.2 mg          | ± 0.3 mg  | Piece | 1  | ACJ 300-4M | 1,273.00 €       |
| Precision Balance         | Weighing capacity (Max)                                                   | Readability (d) | Weighing plate  | Linearity | Qy    | PU | Order No.  | Special Price/PU |
| PCB 300-3                 | 360 g                                                                     | 0.001 g         | Ø 82 mm         | ± 0.005 g | Piece | 1  | PCB 300-3  | 234.30 €         |
| PCB 1000-2                | 1200 g                                                                    | 0.01 g          | 130×130 mm      | ± 0.03 g  | Piece | 1  | PCB 1000-2 | 216.88 €         |
| PCB 3000-2                | 3600 g                                                                    | 0.01 g          | 130×130 mm      | ± 0.05 g  | Piece | 1  | PCB 3000-2 | 243.01 €         |
| PCB 6000-1                | 6000 g                                                                    | 0.1 g           | 150×170 mm      | ± 0.3 g   | Piece | 1  | PCB 6000-1 | 182.04 €         |
| Phase Contrast Microscope |                                                                           |                 |                 |           | Qy    | PU | Order No.  | Special Price/PU |
| OBN 159                   | Trinocular, 4 x / 10 x / 20 x / 40 x / 100 x, 3 W LED (Transmitted light) |                 |                 |           | Piece | 1  | OBN 159    | 2,092.91 €       |

The **LISA Satellite**

# A Safety WasteCap Countless Possibilities!

Safe disposal of liquid HPLC/UHPLC waste – modularly configurable for a wide variety of containers, connections, and laboratory requirements.

**SPECIAL  
OFFER**

## ✓ Modular Concept

The **LISA** Satellite can be easily expanded at any time with additional components, such as funnels, fill-level monitoring systems, or additional satellites.

## ✓ Suitable for Many Containers

The **LISA** system is compatible with various canisters and containers thanks to its variable thread sizes. The freely rotating screw cap ensures easy and convenient container replacement.

|                               | Qty   | PU | Order No. | Special Price/PU |
|-------------------------------|-------|----|-----------|------------------|
| Safety Waste Cap LISA, S60/61 | Piece | 1  | 350 060   | 131.91 €         |
| Safety Waste Cap LISA, S70/71 | Piece | 1  | 350 070   | 131.91 €         |
| Electronic Level Control      | Piece | 1  | 350 121   | 131.91 €         |
| Mechanical Level Control      | Piece | 1  | 350 122   | 93.95 €          |



Additional Threads  
and Accessories



**WE MAKE YOUR LAB  
A SAFER PLACE!**



[www.buerkle.de/en](http://www.buerkle.de/en)

## DISPOSABLE SAMPLING

Samplers in a wide range of sizes  
for the highest demands in sampling



### Titrating burette automatic

**Burette with Schellbach stripes type Schilling /  
Bürkle with original Bürkle dosing armature.**

A universal aid in the laboratory, electroplating industry,  
water treatment plants, for field analyses, etc.

Precise dosing using the press button, exact fine  
titration with the micro-screw and precise discharge  
jet. Graduation according to Category B (Tolerances  
according to DIN EN ISO 385).

- Adjusted for Ex
- Burette made of borosilicate glass 3.3
- Sturdy stand
- Precise discharge jet, allowing very fine drops
- Parts in contact with the medium: PE, PP, silicone, borosilicate glass
- Resistant to chemicals
- Blue ring graduations (Colordur)
- Left or right hand operation possible

| Titrating burette automatic | Qty   | PU | Order No. | Special Price/PU | Special Price/PU from |
|-----------------------------|-------|----|-----------|------------------|-----------------------|
| borosil. glass, 5 ml        | Piece | 1  | 9695-1005 | 1 PU 52.42 €     | 10 PU 46.80 €         |
| borosil. glass, 10 ml       | Piece | 1  | 9695-1010 | 1 PU 52.42 €     | 10 PU 46.80 €         |
| borosil. glass, 15 ml       | Piece | 1  | 9695-1015 | 1 PU 52.42 €     | 10 PU 46.80 €         |
| borosil. glass, 25 ml       | Piece | 1  | 9695-1025 | 1 PU 52.42 €     | 10 PU 46.80 €         |
| borosil. glass, 50 ml       | Piece | 1  | 9695-1050 | 1 PU 60.84 €     | 10 PU 56.16 €         |



# ASSISTENT BASIC

GLASWARENFABRIK KARL HECHT GMBH & CO KG



LEARN MORE:  
[assistant.eu](http://assistant.eu)  
ASSISTENT BASIC.  
BECAUSE A GOOD FOUNDATION  
IS THE BASIS FOR EVERYTHING.



**BEAKERS**  
robust & versatile  
for a wide range of  
applications



**MEASURING CYLINDERS**  
accurate measurements,  
every day



**FLASKS**  
for precise processes  
in the laboratory



**MICROSCOPE SLIDES**  
clear results at  
the highest level



**COVER GLASSES**  
for the perfect finish





## SICCO Drying Cabinets, Desiccators and Glove Boxes

### SICCO – Control Desiccators

Panels: **clear** | Material: **PMMA** | Temperatur resistance: **-20 °C to +70 °C** |  
Use: **normal pressure** | Base: **rubber feet**

**Product Description:** Aluminum frame with acrylic glass panels, including shelves (Control-Star Desiccator: four shelves made of Polycarbonate; Control-Big Star and Maxi 2 Desiccator: two shelves made of stainless steel per chamber), can be equipped with up to 26 shelves for the Control-Star Desiccator and 8 shelves per chamber for the Control-Big Star and Maxi 2 Desiccator, stackable, the Control-Star and the Control-Big Star are delivered with humidity to the digitally set target value - adjustable from 15 % to 95 % r.h.. No manual adding or draining of water is necessary. The display shows the temperature, the current operating status (Dehumidifying / Humidifying), as well as Control Maxi 2 Desiccator (input: AC 100-240 V/50-60 Hz, 3,5 A Max., output: 24 V DC, 10 A) with plug for EU or Including power supply for Control Star Desiccator (input: AC 100-240 V/50-60 Hz, 2 A Max., output: 24 V DC, 5 A) with plug for EU.

| Product                           | Overall dimensions mm | Qy    | PU | Order No.        | Special Price/PU    |
|-----------------------------------|-----------------------|-------|----|------------------|---------------------|
| SICCO Control Star Desiccator     | 310 x 525 x 375       | Piece | 1  | <b>V 1677-07</b> | <b>2,512.94 €</b>   |
| SICCO Control Big Star Desiccator | 560 x 560 x 580       | Piece | 1  | <b>V 1679-07</b> | <b>3,686.55 €</b>   |
| SICCO Control Maxi 2 Desiccator   | 560 x 1150 x 580      | Piece | 1  | <b>V 1682-07</b> | <b>5,962.04 €* </b> |



### SICCO – Glove Boxes with Transfer Chamber

Panels: **clear** | Material: **PMMA** | Temperatur resistance: **-20 °C to +70 °C** |  
Use: **normal pressure** | Stand: **rubber feet**

**Product description:** Aluminium frame with panels made of acrylic glass, base panel made of polyethylene. Front panel with two glove ports and one pair of natural rubber gloves size 9, two lead-ins for cables on the back side (upper left and upper right). Transfer chamber with two doors, external door with latch to prevent accidental opening, the tray extends into the workspace with opening of the internal door for easy removal of inserted products. Work space and transfer chamber each including two hose connectors for gas-filling and aeration and appropriate tubing (2 x 5 m tubing for gas-filling made of PVC and 2 x 5 m aeration tubing made of PE).

| Product                               | Overall dimensions mm | Qy    | PU | Order No.        | Special Price/PU    |
|---------------------------------------|-----------------------|-------|----|------------------|---------------------|
| SICCO Glove Box with Transfer Chamber | 1210 x 700 x 600      | Piece | 1  | <b>V 1982-08</b> | <b>4,350.49 €* </b> |



Panels: **clear** | Material: **borosilicate 3.3** | Temperatur resistance: **-20 °C to +120 °C** |  
Use: **normal pressure** | Stand: **rubber feet**

**Product description:** Aluminium frame with panels made of borosilicate glass, front panel with two glove ports, right side panel and bottom side base panel made of aluminium, top side of base panel made of stainless steel. Including one pair of natural rubber gloves size 9, two lead-ins for cable on the back side (upper left and upper right). Transfer chamber with two doors, external door with latch to prevent accidental opening, the tray extends into the workspace with opening of the internal door for easy removal of inserted products. Work space and transfer chamber each including two hose connectors for gas-filling and aeration and appropriate tubing (2 x 5 m tubing for gas-filling made of PVC and 2 x 5 m aeration tubing made of PE).

| Product                                      | Overall dimensions mm | Qy    | PU | Order No.        | Special Price/PU    |
|----------------------------------------------|-----------------------|-------|----|------------------|---------------------|
| SICCO Glove Box Vitrum with Transfer Chamber | 1210 x 700 x 600      | Piece | 1  | <b>V 1986-08</b> | <b>7,275.08 €* </b> |



\*plus special packaging + freight costs

A brand of Bohlender

**b.safe**

## The right safety cap for every thread

Optimize your laboratory bottles for HPLC applications.  
Perfect fit, safe, and ready for immediate use!  
[www.bsafe.de/entnahme](http://www.bsafe.de/entnahme)

Any questions? +49 (0) 93 46-92 86-0 · [info@bohlender.de](mailto:info@bohlender.de)


[bsafe.de/en](http://bsafe.de/en)


### At a glance

- Compatible with automatic size detection: HandyStep® touch, HandyStep® electronic, Gilson® Repetman®, Rainin AutoRep™ E
- Compatible without automatic size detection: HandyStep® S, HandyStep®, Rainin AutoRep™ S, Rainin AutoRep™ M, Eppendorf® Multipette® 4780 and EDOS® 5221 (the above-mentioned brands are property of their respective owners)
- Comply with the requirements of ISO 8655, with batch certificate

## Dispenser-Tips PD-Tips II

Bulk, type-coded, CERTIFIED LIFE SCIENCE QUALITY\*

Thanks to patented size coding, HandyStep® touch and HandyStep® electronic from BRAND automatically detect the tip volume. The tips are also compatible with all other instruments of the HandyStep® family and with repetitive pipettes from other manufacturers.

\* Virgin raw materials, Manufactured under controlled room conditions, Intensive in-process controls, Visual inspections, Batch management, Final product inspection, Proven functionality

| Dispenser-Tips PD-Tips II                       | Qy  | PU             | Order No.     | Special Price/PU |
|-------------------------------------------------|-----|----------------|---------------|------------------|
| 0.1 ml, PP/LCP                                  | 100 | 100            | <b>705700</b> | <b>68.17 €</b>   |
| 0.5 ml, PP/PE-HD                                | 100 | 100            | <b>705702</b> | <b>58.29 €</b>   |
| 1 ml, PP/PE-HD                                  | 100 | 100            | <b>705704</b> | <b>58.29 €</b>   |
| 1.25 ml, PP/PE-HD                               | 100 | 100            | <b>705706</b> | <b>58.29 €</b>   |
| 2.5 ml, PP/PE-HD                                | 100 | 100            | <b>705708</b> | <b>58.29 €</b>   |
| 5 ml, PP/PE-HD                                  | 100 | 100            | <b>705710</b> | <b>58.29 €</b>   |
| 10 ml, PP/PE-HD                                 | 100 | 100            | <b>705712</b> | <b>58.29 €</b>   |
| 12.5 ml, PP/PE-HD                               | 100 | 100            | <b>705714</b> | <b>58.29 €</b>   |
| 25 ml, PP/PE-HD                                 | 100 | 50             | <b>705716</b> | <b>34.09 €</b>   |
| 50 ml, PP/PE-HD                                 | 100 | 25             | <b>705718</b> | <b>19.27 €</b>   |
| 0.5, 1, 1.25, 2.5, 5, 10, 12.5 ml, PP/PE-HD/LCP | Set | 20 pieces each | <b>705720</b> | <b>83.98 €</b>   |



Multi dispensing with the HandyStep® touch



## Dispenser-Tips PD-Tips II

Packaged individually, type encoded,  
BIO-CERT® LIQUID HANDLING QUALITY\*\*, sterile

\*\* BIO-CERT® LIQUID HANDLING QUALITY STERILE:  
additionally: Free of human DNA, RNase, DNase, Pyrogens, PCR-Inhibitors and ATP

| Dispenser-Tips PD-Tips II | Qy  | PU  | Order No.     | Special Price/PU |
|---------------------------|-----|-----|---------------|------------------|
| 0.1 ml, PP/LCP            | 100 | 100 | <b>705730</b> | <b>147.21 €</b>  |
| 0.5 ml, PP/PE-HD          | 100 | 100 | <b>705732</b> | <b>131.40 €</b>  |
| 1 ml, PP/PE-HD            | 100 | 100 | <b>705734</b> | <b>131.40 €</b>  |
| 1.25 ml, PP/PE-HD         | 100 | 100 | <b>705736</b> | <b>131.40 €</b>  |
| 2.5 ml, PP/PE-HD          | 100 | 100 | <b>705738</b> | <b>131.40 €</b>  |
| 5 ml, PP/PE-HD            | 100 | 100 | <b>705740</b> | <b>131.40 €</b>  |
| 10 ml, PP/PE-HD           | 100 | 100 | <b>705742</b> | <b>131.40 €</b>  |
| 12.5 ml, PP/PE-HD         | 100 | 100 | <b>705744</b> | <b>131.40 €</b>  |
| 25 ml, PP/PE-HD           | 100 | 25  | <b>705746</b> | <b>36.80 €</b>   |
| 50 ml, PP/PE-HD           | 100 | 25  | <b>705748</b> | <b>38.29 €</b>   |



**LAUDA**  
**Hydro Wather Baths**



**Universal, reliable and designed for continuous operation**

The Hydro series provides a broad spectrum of water baths for diverse laboratory applications. All water baths offer a temperature range of up to 100°C, which also permits applications in the boiling temperature range. The LAUDA Hydro water baths are reliable, virtually maintenance-free and ideally equipped for continuous operation in the laboratory.

|                            | Qy    | PU | Order No. | Special Price/PU |
|----------------------------|-------|----|-----------|------------------|
| LAUDA Waterbath Hydro H 8  | Piece | 1  | L002901   | 999.00 €         |
| LAUDA Waterbath Hydro H 16 | Piece | 1  | L002902   | 1,049.00 €       |
| LAUDA Waterbath Hydro H 22 | Piece | 1  | L002903   | 1,199.00 €       |
| LAUDA Waterbath Hydro H 24 | Piece | 1  | L002904   | 1,229.00 €       |
| LAUDA Waterbath Hydro H 41 | Piece | 1  | L002905   | 1,349.00 €       |



# ALL FOR LAB

**ISOLAB®** 30  
YEARS

**ISOLAB Laborgeräte GmbH**  
Am Dillhof 2 | 63863 Eschau | Germany |  
info@isolab.de | www.isolab.de



## NOVELTY!

### ISOLAB® Sealing Film

For quick, clean sealing

ISOLAB sealing film for reliable sealing of lab vessels such as beakers and Erlenmeyer flasks and helps reduce evaporation and contamination.

Supplied as a  
38 m × 10 cm roll in a  
practical dispenser box  
with integrated cutting tool.  
No scissors necessary.



| Qy                   | PU      | Order No.  | Special Price/PU |
|----------------------|---------|------------|------------------|
| ISOLAB® Sealing Film | Piece 1 | 058.01.004 | 14.53 €          |

You will find attractive discounts in our shop.

**Julabo**  
THE TEMPERATURE CONTROL COMPANY

## VALEGRO™

### The Latest Generation of JULABO Recirculating Coolers

With the brand new VALEGRO recirculating coolers, JULABO is launching modern, powerful cooling units with natural refrigerant. The recirculating coolers have been developed with the greatest focus on user-friendliness and operational safety within a working temperature range of -20 ... +40 °C.

The new recirculating coolers score with a very high performance/output in relation to their small size.



Lab fume hoods for every application

Perfectly tailored to your needs we offer the ideal fume hood certified according to DIN EN 14175. Color: Light gray (similar to RAL 7035); metal frame: Dove blue (similar to RAL 5014).

Features:

- MA95FLOW electronic control unit with display, audible and visual alarm
- Multilingual operating software
- Vertical sash with horizontally sliding safety glass
- Locking device when the sash is open 50 cm
- SAFETY-BLOCK device for the sash to prevent it from falling in the event of cable breakage
- HPL lining, solid ceramic worktop with reinforced edge
- IP65 LED lighting (600 LUX) in the fume hood ceiling

- 1 Fume hood for general use
- 2 Fume hood for weighing with anti vibration worktop
- 3 Fume hood for powders
- 4 Fume hood for acidic vapors
- 5 Fume hood with low entry
- 6 Walk-in fume hood

Optional: Filter box

Optional: Absence sensor

Optional: Side window

Optional: Airflow Control

Optional: Media bar on the side

Optional: Safety cabinet (chemical cabinet/ acid and alkali cabinet)

Optional: Fan on the extractor hood

Optional: Device for tripod poles made of stainless steel

Optional: Funnel basin/sink



| Lab fume hoods ,<br>APL all-ceramic<br>(Gres) | inner<br>dimensions<br>W x D mm | outer<br>dimensions<br>W x D x H mm | Qty   | PU | Order No       | Special Price/PU |
|-----------------------------------------------|---------------------------------|-------------------------------------|-------|----|----------------|------------------|
| 900 mm*                                       | 900 x 750                       | 1045 x 830 x 2355**                 | Piece | 1  | MA95EVO6030ZEM | 9,235.00 €       |
| 1200 mm*                                      | 1200 x 750                      | 1345 x 830 x 2355**                 | Piece | 1  | MA95EVO6050ZEM | 9,660.00 €       |
| 1500 mm*                                      | 1500 x 750                      | 1645 x 830 x 2355**                 | Piece | 1  | MA95EVO6060ZEM | 9,978.00 €       |

\*ex works, without mounting                      \*\*height with sash open: 2750 mm

Figure-hugging,  
modern cut.



Lab coats

The lab coat is made of 100 % cotton with a weight of approx. 220 g/m² making it extremely comfortable to wear. Its figure-hugging cut in classic white gives it a modern yet professional look.

- Straight-cut lapel collar (men's model) or stand-up collar with flared cut (women's model)
- Two side pockets
- One breast pocket
- Concealed button
- Long sleeves, knee length

| Modell                   | Size    | Qty   | PU | Order No.   | Special Price/PU |
|--------------------------|---------|-------|----|-------------|------------------|
| Lapel collar (Men)       | 32 – 64 | Piece | 1  | 4711-H-Size | 26.72 €          |
| Stand-up collar (Ladies) | 32 – 46 | Piece | 1  | 4711-D-Size | 26.72 €          |



## LabHEAT® standard heating mantles series KM-G

In chemical and biotechnical laboratories these heating mantles belong for the standard equipment because many reactions in this areas are temperature dependent.

- high quality design for flasks, round bottom *made by hand work*
- flexible glass yarn heating element *an even heat transfer and a gentle treatment of the glass*
- operating temperatures up to 450°C
- sizes from 500 ml with ø 60 mm bottom hole
- four standard mounting clips *with appropriate accessories a minimum of effort allows to ensure a tilt-proof set-up or to integrate within support wall*
- with heating zone switch and residual current detection (RCD)



# ISOHEAT®

| Volume ml | Power W | Heating zones | Qty   | PU | Order No. | Special Price/PU |
|-----------|---------|---------------|-------|----|-----------|------------------|
| 25        | 65      | 1             | Piece | 1  | 95000025  | 236.60 €         |
| 50        | 75      | 1             | Piece | 1  | 95000050  | 241.15 €         |
| 100       | 120     | 1             | Piece | 1  | 95000100  | 241.15 €         |
| 250       | 180     | 2             | Piece | 1  | 95000250  | 245.70 €         |
| 500       | 250     | 2             | Piece | 1  | 95000500  | 250.25 €         |
| 1.000     | 450     | 2             | Piece | 1  | 95001000  | 282.10 €         |
| 2.000     | 600     | 2             | Piece | 1  | 95002000  | 332.15 €         |
| 3.000     | 800     | 2             | Piece | 1  | 95003000  | 382.20 €         |
| 4.000     | 900     | 2*            | Piece | 1  | 95004000  | 414.05 €         |
| 5.000     | 1200    | 2*            | Piece | 1  | 95005000  | 514.15 €         |
| 6.000     | 1400    | 2*            | Piece | 1  | 95006000  | 600.60 €         |
| 10.000    | 2000    | 2*            | Piece | 1  | 95010000  | 726.25 €         |
| 20.000    | 2200    | 2*            | Piece | 1  | 95020000  | 1,067.50 €       |

\*also available with 4 heating zones



# memmert



## You set the rules. We make them last.



The new Memmert ULT freezer – experience our new generation of high-precision climate and temperature control units, where smart innovations meet timeless quality.

With a temperature range of –50 to –86 °C, the ULT freezer reliably protects valuable biological samples over long periods under constant storage conditions.

Discover the new ULT freezer at [memmert.com/ult](http://memmert.com/ult)



## We do steady, so you can do revolutionary.

The new Memmert CO<sub>2</sub> incubator—experience our new generation of high-precision climate and temperature control units, where smart innovations meet timeless quality.

With condensation-free operation at 37 °C and 95 % rH, along with precise CO<sub>2</sub>/O<sub>2</sub> control, the ICO CO<sub>2</sub> incubator ensures stable and reproducible cell culture – designed to meet the highest standards of quality, precision, and reliability.

Discover the ICO at [memmert.com/ico](http://memmert.com/ico)



### ADVANCED PELTIER TECHNOLOGY

[www.memmert.com](http://www.memmert.com)


# ++ Sale ++ ONLY WHILE STOCKS LAST ++

## TL 7000-M1/10, TitroLine® 7000



basic unit with magnetic stirrer  
TM 235 and 10...

|                                           | Qy    | PU | Order No. | Sale                         |
|-------------------------------------------|-------|----|-----------|------------------------------|
| TL 7000-M1/10, TitroLine® 7000 basic unit | Piece | 1  | 285220140 | 6,332.00 € <b>4,749.00 €</b> |



## Drump pump



for acids and alkalis,  
120 cm, 85 l/min

|                               | Qy    | PU | Order No. | Sale                         |
|-------------------------------|-------|----|-----------|------------------------------|
| Drump pump for acids/ alkalis | Piece | 1  | 5762-0101 | 2,078.05 € <b>1,522.95 €</b> |



## DURAN® GLS 80® Laboratory Bottle



wide mouth, clear, with GLS 80® thread

|                                  | Qy    | PU | Order No. | Abverkauf                    |
|----------------------------------|-------|----|-----------|------------------------------|
| DURAN® GLS 80® Laboratory Bottle | Piece | 1  | 1200154   | 2,135.16 € <b>1,297.78 €</b> |



## Pico&trade; 21 Microcentrifuge



|                                | Qy    | PU | Order No. | Sale                         |
|--------------------------------|-------|----|-----------|------------------------------|
| Pico&trade; 21 Microcentrifuge | Piece | 1  | 75002415  | 3,110.00 € <b>2,279.53 €</b> |



### Glasatelier Saillart BV

Bevrijdingslaan 200a, 2450 Meerhout  
Phone +32 (0) 14560221, Fax +32 (0) 14591143  
info@glasatelier-saillart.be, shop.glasatelier-saillart.be