


Test tubes without rim, round bottom  
 Proefbuizen zonder rand, ronde bodem  
 Tubes à essais sans rebord, fond rond

Catalog number: 2800

| Code            | Diameter<br>(mm) | Length<br>(mm) | W.thickness<br>(mm) | Drawing | Packing<br>(pcs) |
|-----------------|------------------|----------------|---------------------|---------|------------------|
| 632 422 006 050 | 6                | 50             | 1.0                 | 3599    | 100              |
| 632 422 006 080 | 6                | 80             | 1.0                 | 3599    | 100              |
| 632 422 006 100 | 6                | 100            | 1.0                 | 3599    | 100              |
| 632 422 006 120 | 6                | 120            | 1.0                 | 3599    | 100              |
| 632 422 007 080 | 7                | 80             | 1.0                 | 3600    | 100              |
| 632 422 007 100 | 7                | 100            | 1.0                 | 3600    | 100              |
| 632 422 007 120 | 7                | 120            | 1.0                 | 3600    | 100              |
| 632 422 008 075 | 8                | 75             | 1.0                 | 3105    | 100              |
| 632 422 008 080 | 8                | 80             | 1.0                 | 3105    | 100              |
| 632 422 008 100 | 8                | 100            | 1.0                 | 3105    | 100              |
| 632 422 008 120 | 8                | 120            | 1.0                 | 3105    | 100              |
| 632 422 009 080 | 9                | 80             | 1.0                 | 3601    | 100              |
| 632 422 009 100 | 9                | 100            | 1.0                 | 3601    | 100              |
| 632 422 009 120 | 9                | 120            | 1.0                 | 3601    | 100              |
| 632 422 010 075 | 10               | 75             | 1.0                 | 2206    | 100              |
| 632 422 010 080 | 10               | 80             | 1.0                 | 2206    | 100              |
| 632 422 010 100 | 10               | 100            | 1.0                 | 2206    | 100              |
| 632 422 010 120 | 10               | 120            | 1.0                 | 2206    | 100              |
| 632 422 010 140 | 10               | 140            | 1.0                 | 2206    | 100              |
| 632 422 010 160 | 10               | 160            | 1.0                 | 2206    | 100              |
| 632 422 011 080 | 11               | 80             | 1.0                 | 3106    | 100              |
| 632 422 011 100 | 11               | 100            | 1.0                 | 3106    | 100              |
| 632 422 011 120 | 11               | 120            | 1.0                 | 3106    | 100              |
| 632 422 011 140 | 11               | 140            | 1.0                 | 3106    | 100              |
| 632 422 011 160 | 11               | 160            | 1.0                 | 3106    | 100              |
| 632 422 012 075 | 12               | 75             | 1.0                 | 2207    | 100              |
| 632 422 012 080 | 12               | 80             | 1.0                 | 2207    | 100              |
| 632 422 012 100 | 12               | 100            | 1.0                 | 2207    | 100              |
| 632 422 012 120 | 12               | 120            | 1.0                 | 2207    | 100              |
| 632 422 012 121 | 12               | 120            | 1.5                 | 2207/2  | 100              |
| 632 422 012 140 | 12               | 140            | 1.0                 | 2207    | 100              |
| 632 422 012 141 | 12               | 140            | 1.5                 | 2207/2  | 100              |
| 632 422 012 150 | 12               | 150            | 1.0                 | 2207    | 100              |
| 632 422 012 160 | 12               | 160            | 1.0                 | 2207    | 100              |
| 632 422 012 161 | 12               | 160            | 1.5                 | 2207/2  | 100              |




Notice:

Borosilicate glass

Test tubes without rim, round bottom  
 Proefbuizen zonder rand, ronde bodem  
 Tubes à essais sans rebord, fond rond

Catalog number: 2800

| Code            | Diameter<br>(mm) | Length<br>(mm) | W.thickness<br>(mm) | Drawing | Packing<br>(pcs) |
|-----------------|------------------|----------------|---------------------|---------|------------------|
| 632 422 012 250 | 12               | 250            | 1.0                 | 2207    | 100              |
| 632 422 013 075 | 13               | 75             | 1.0                 | 3139    | 100              |
| 632 422 013 080 | 13               | 80             | 1.0                 | 3139    | 100              |
| 632 422 013 100 | 13               | 100            | 1.0                 | 3139    | 100              |
| 632 422 013 120 | 13               | 120            | 1.0                 | 3139    | 100              |
| 632 422 013 130 | 13               | 130            | 1.0                 | 3139    | 100              |
| 632 422 013 140 | 13               | 140            | 1.0                 | 3139    | 100              |
| 632 422 013 160 | 13               | 160            | 1.0                 | 3139    | 100              |
| 632 422 014 075 | 14               | 75             | 1.0                 | 3140    | 100              |
| 632 422 014 080 | 14               | 80             | 1.0                 | 3140    | 100              |
| 632 422 014 090 | 14               | 90             | 1.0                 | 3140    | 100              |
| 632 422 014 100 | 14               | 100            | 1.0                 | 3140    | 100              |
| 632 422 014 101 | 14               | 100            | 1.5                 | 3140/2  | 100              |
| 632 422 014 120 | 14               | 120            | 1.0                 | 3140    | 100              |
| 632 422 014 121 | 14               | 120            | 1.5                 | 3140/2  | 100              |
| 632 422 014 130 | 14               | 130            | 1.0                 | 3140    | 100              |
| 632 422 014 140 | 14               | 140            | 1.0                 | 3140    | 100              |
| 632 422 014 141 | 14               | 140            | 1.5                 | 3140/2  | 100              |
| 632 422 014 160 | 14               | 160            | 1.0                 | 3140    | 100              |
| 632 422 014 161 | 14               | 160            | 1.5                 | 3140/2  | 100              |
| 632 422 015 100 | 15               | 100            | 1.2                 | 3142    | 100              |
| 632 422 015 120 | 15               | 120            | 1.2                 | 3142    | 100              |
| 632 422 015 140 | 15               | 140            | 1.2                 | 3142    | 100              |
| 632 422 015 160 | 15               | 160            | 1.2                 | 3142    | 100              |
| 632 422 015 180 | 15               | 180            | 1.2                 | 3142    | 100              |
| 632 422 016 100 | 16               | 100            | 1.2                 | 3143    | 100              |
| 632 422 016 101 | 16               | 100            | 1.8                 | 3143/2  | 100              |
| 632 422 016 120 | 16               | 120            | 1.2                 | 3143    | 100              |
| 632 422 016 121 | 16               | 120            | 1.8                 | 3143/2  | 100              |
| 632 422 016 125 | 16               | 125            | 1.2                 | 3143    | 100              |
| 632 422 016 140 | 16               | 140            | 1.2                 | 3143    | 100              |
| 632 422 016 141 | 16               | 140            | 1.8                 | 3143/2  | 100              |
| 632 422 016 150 | 16               | 150            | 1.2                 | 3143    | 100              |
| 632 422 016 160 | 16               | 160            | 1.2                 | 3143    | 100              |
| 632 422 016 161 | 16               | 160            | 1.8                 | 3143/2  | 100              |




Notice:  
 Borosilicate glass

Test tubes without rim, round bottom  
Proefbuizen zonder rand, ronde bodem  
Tubes à essais sans rebord, fond rond

Catalog number: 2800

| Code            | Diameter<br>(mm) | Length<br>(mm) | W.thickness<br>(mm) | Drawing | Packing<br>(pcs) |
|-----------------|------------------|----------------|---------------------|---------|------------------|
| 632 422 016 180 | 16               | 180            | 1.2                 | 3143    | 100              |
| 632 422 016 181 | 16               | 180            | 1.8                 | 3143/2  | 100              |
| 632 422 016 220 | 16               | 220            | 1.2                 | 3143    | 100              |
| 632 422 017 100 | 17               | 100            | 1.2                 | 3144    | 100              |
| 632 422 017 101 | 17               | 100            | 1.8                 | 3144/2  | 100              |
| 632 422 017 120 | 17               | 120            | 1.2                 | 3144    | 100              |
| 632 422 017 121 | 17               | 120            | 1.8                 | 3144/2  | 100              |
| 632 422 017 140 | 17               | 140            | 1.2                 | 3144    | 100              |
| 632 422 017 141 | 17               | 140            | 1.8                 | 3144/2  | 100              |
| 632 422 017 160 | 17               | 160            | 1.2                 | 3144    | 100              |
| 632 422 017 161 | 17               | 160            | 1.8                 | 3144/2  | 100              |
| 632 422 017 180 | 17               | 180            | 1.2                 | 3144    | 100              |
| 632 422 017 181 | 17               | 180            | 1.8                 | 3144/2  | 100              |
| 632 422 018 100 | 18               | 100            | 1.2                 | 3145    | 100              |
| 632 422 018 101 | 18               | 100            | 1.8                 | 3145/2  | 100              |
| 632 422 018 120 | 18               | 120            | 1.2                 | 3145    | 100              |
| 632 422 018 121 | 18               | 120            | 1.8                 | 3145/2  | 100              |
| 632 422 018 140 | 18               | 140            | 1.2                 | 3145    | 100              |
| 632 422 018 141 | 18               | 140            | 1.8                 | 3145/2  | 100              |
| 632 422 018 160 | 18               | 160            | 1.2                 | 3145    | 100              |
| 632 422 018 161 | 18               | 160            | 1.8                 | 3145/2  | 100              |
| 632 422 018 180 | 18               | 180            | 1.2                 | 3145    | 100              |
| 632 422 018 181 | 18               | 180            | 1.8                 | 3145/2  | 100              |
| 632 422 019 100 | 19               | 100            | 1.2                 | 3146    | 100              |
| 632 422 019 101 | 19               | 100            | 1.8                 | 3146/2  | 100              |
| 632 422 019 120 | 19               | 120            | 1.2                 | 3146    | 100              |
| 632 422 019 121 | 19               | 120            | 1.8                 | 3146/2  | 100              |
| 632 422 019 140 | 19               | 140            | 1.2                 | 3146    | 100              |
| 632 422 019 141 | 19               | 140            | 1.8                 | 3146/2  | 100              |
| 632 422 019 160 | 19               | 160            | 1.2                 | 3146    | 100              |
| 632 422 019 161 | 19               | 160            | 1.8                 | 3146/2  | 100              |
| 632 422 019 180 | 19               | 180            | 1.2                 | 3146    | 100              |
| 632 422 019 181 | 19               | 180            | 1.8                 | 3146/2  | 100              |
| 632 422 020 100 | 20               | 100            | 1.2                 | 3147    | 100              |
| 632 422 020 101 | 20               | 100            | 1.8                 | 3147/2  | 100              |




Notice:

Borosilicate glass

Test tubes without rim, round bottom  
 Proefbuizen zonder rand, ronde bodem  
 Tubes à essais sans rebord, fond rond

Catalog number: 2800

| Code            | Diameter<br>(mm) | Length<br>(mm) | W.thickness<br>(mm) | Drawing | Packing<br>(pcs) |
|-----------------|------------------|----------------|---------------------|---------|------------------|
| 632 422 020 120 | 20               | 120            | 1.2                 | 3147    | 100              |
| 632 422 020 121 | 20               | 120            | 1.8                 | 3147/2  | 100              |
| 632 422 020 140 | 20               | 140            | 1.2                 | 3147    | 100              |
| 632 422 020 141 | 20               | 140            | 1.8                 | 3147/2  | 100              |
| 632 422 020 160 | 20               | 160            | 1.2                 | 3147    | 100              |
| 632 422 020 161 | 20               | 160            | 1.8                 | 3147/2  | 100              |
| 632 422 020 180 | 20               | 180            | 1.2                 | 3147    | 100              |
| 632 422 020 181 | 20               | 180            | 1.8                 | 3147/2  | 100              |
| 632 422 020 200 | 20               | 200            | 1.2                 | 3147    | 100              |
| 632 422 022 100 | 22               | 100            | 1.2                 | 3148    | 100              |
| 632 422 022 101 | 22               | 100            | 1.8                 | 3148/2  | 100              |
| 632 422 022 120 | 22               | 120            | 1.2                 | 3148    | 100              |
| 632 422 022 121 | 22               | 120            | 1.8                 | 3148/2  | 100              |
| 632 422 022 140 | 22               | 140            | 1.2                 | 3148    | 100              |
| 632 422 022 141 | 22               | 140            | 1.8                 | 3148/2  | 100              |
| 632 422 022 160 | 22               | 160            | 1.2                 | 3148    | 100              |
| 632 422 022 161 | 22               | 160            | 1.8                 | 3148/2  | 100              |
| 632 422 022 180 | 22               | 180            | 1.2                 | 3148    | 100              |
| 632 422 022 181 | 22               | 180            | 1.8                 | 3148/2  | 100              |
| 632 422 022 200 | 22               | 200            | 1.2                 | 3148    | 100              |
| 632 422 022 221 | 22               | 220            | 1.8                 | 3148/2  | 100              |
| 632 422 024 100 | 24               | 100            | 1.2                 | 3149    | 100              |
| 632 422 024 101 | 24               | 100            | 1.8                 | 3149/2  | 100              |
| 632 422 024 120 | 24               | 120            | 1.2                 | 3149    | 100              |
| 632 422 024 121 | 24               | 120            | 1.8                 | 3149/2  | 100              |
| 632 422 024 140 | 24               | 140            | 1.2                 | 3149    | 100              |
| 632 422 024 141 | 24               | 140            | 1.8                 | 3149/2  | 100              |
| 632 422 024 160 | 24               | 160            | 1.2                 | 3149    | 100              |
| 632 422 024 161 | 24               | 160            | 1.8                 | 3149/2  | 100              |
| 632 422 024 180 | 24               | 180            | 1.2                 | 3149    | 100              |
| 632 422 024 181 | 24               | 180            | 1.8                 | 3149/2  | 100              |
| 632 422 024 200 | 24               | 200            | 1.2                 | 3149    | 100              |
| 632 422 024 250 | 24               | 250            | 1.2                 | 3149    | 100              |
| 632 422 024 350 | 24               | 350            | 1.2                 | 3149    | 100              |
| 632 422 026 160 | 26               | 160            | 1.4                 | 3603    | 100              |




Notice:  
 Borosilicate glass

Test tubes without rim, round bottom  
Proefbuizen zonder rand, ronde bodem  
Tubes à essais sans rebord, fond rond

Catalog number: 2800

| Code            | Diameter Length W.thickness |      |      | Drawing P | (pcs) |
|-----------------|-----------------------------|------|------|-----------|-------|
|                 | (mm)                        | (mm) | (mm) |           |       |
| 632 422 026 180 | 26                          | 180  | 1.4  | 3603      | 100   |
| 632 422 030 200 | 30                          | 200  | 1.4  | 3604      | 100   |
| 632 422 030 250 | 30                          | 250  | 1.4  | 3604      | 100   |
| 632 422 034 120 | 34                          | 120  | 1.4  | 3605      | 100   |
| 632 422 034 140 | 34                          | 140  | 1.4  | 3605      | 100   |



:

**Borosilicate glass - Borosilicaatglas - Verre borosilicate 3.3**